

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th June, 1958—*contd.*

CHOLERA								SMALLPOX								PLAGUE								CHOLERA								SMALLPOX								PLAGUE							
		C.		D.		C.		D.		C.		D.		C.		D.				C.		D.		C.		D.		C.		D.		C.		D.													
Mysore—contd.																Rajasthan																															
Belgaum . . . 16 8																"N.R."																															
Bijapur . . . 5 1 6																Tripura																															
Dharwar . . . 23 6 3 1																"N.R."																															
TOTAL . . . 156 65 167 37																Uttar Pradesh																															
Total for w/e 21-6-58 "N.R."																Agra 10 7 — ..																															
Total for w/e 14-6-58 717 291 88 23																Aligarh 9 3																															
Orissa																Allahabad 9 6																															
Cuttack 82 11																Almora 22 6																															
Balasore . . . 1 .. 2 2																Azamgarh 75 21																															
Puri 27 10 9																Ballia 3 2																															
Sambalpur 104 35																Bareilly 2																															
Baudh . . . 20 10 14 1																Bulandshahr 9 2																															
Ganjam . . . 79 40 99 34																Basti 10																															
Koraput 63 14																Dehara Dun 14 9																															
Mayurbhanj 26 2																Darjeeling 1																															
Dhenkanal . . . 6 6 27 3																Etah 1																															
Keonjhar 3 1																Etawah 1																															
Bolangir Patna . . 2 2 31 3																Farrukhabad 1																															
Sundargarh . . . 4 1 7 3																Fatehpur 2																															
Kalahandi . . . 54 41 110 26																Faizabad 45 16																															
TOTAL . . . 193 110 577 135																Ghazipur 2 1																															
Total for w/e 21-6-58 118 70 514 135																Gonda 17																															
Total for w/e 14-6-58 "N.R."																Gorakhpur . . . 8 5 13 3																															
Pondicherry																Garhwal 22 4																															
TOTAL 12 7																Hardoi 34 20																															
Total for w/e 21-6-58 1 1																Jalaun 1																															
Total for w/e 14-6-58																Jaunpur 2 9																															
Punjab																Jhansi 12 4																															
Rohtak 7																Kanpur 21 8																															
Ambala 2 1																Lucknow . . . 3 .. 29 11																															
Ferozepur 1 2																Mainpuri 6 1																															
Amritsar 2																Meerut 10 1																															
TOTAL 12 3																Mathura 4 3																															
Total for w/e 21-6-58 8 6																																															
Total for w/e 14-6-58 40 9																																															

Explanation of symbols used : C. = Cases ; D. = Deaths ; .. = Nil ; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th June, 1958—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Uttar Pradesh—<i>contd.</i>								Bombay—<i>contd.</i>							
Muzaffarnagar	3	4	Akola	5	2
Moradabad	3	Amravati	11	2
Partapgarh	7	9	Bhandara	2	1
Rampur	2	Buldhana	3	2
Saharanpur	5	Chanda	19	2
Sitapur	2	Nagpur	4	3
Sultanpur	3	1	Wardha	20
Unnao	9	Yotmal	13	2
Varanasi	5	3	7	3	..	TOTAL	126	26	227	38	..
Tehri Garhwal	4	Madhya Pradesh							
Total	16	8	431	155	<i>w/e 14-6-58</i>							
Total for w/e 21-6-58	55	25	486	181	Bilaspur	93	70	92	9	..
Total for w/e 14-6-58	59	25	428	206	Jabalpur	34	14	..
West Bengal								Sagar	24	2	..
"N.R."								Raigarh	37	3	..
Total for India (Excluding Andhra Pradesh, Bombay, Delhi, Himachal Pradesh, Madhya Pradesh, Rajasthan, Tripura and West Bengal.	468	229	1609	446	Damoh	66	11	..
Corresponding Total for w/e 21-6-58*	501	227	1510	470	Satna	1
Corresponding Total for w/e 14-6-58†	776	316	765	312	Ratlam	2
N.B.—								Betul	26	7	..
*Excluding information from Mysore State.								Durg	55	25
†Excluding information from Bihar and Orissa States.								Indore	1	2	..
								TOTAL	148	95	283	48	..
								Bihar							
								<i>w/e 31-5-58</i>							
								Patna	16	..	7	2	..
								Gaya	8	5	25	4	..
								Shahabad	44	10	..
								Champaran	41	9	..
								Muzaffarpur	145	52
								Darbhanga	17	4	43	21	..
								Monghyr	8	2	..
								Bhagalpur	19	7	..
								Saharsa	15	6	..
								Purnea	1	1	..
								Hazaribagh	21	7	..
								Ranchi	8	2	..
								Palamau	8	2	..
								Dhanbad	7	3	..
								Singhbhum	10	1	..
								TOTAL	186	61	257	77	..
								Punjab							
								<i>w/e 21-6-58</i>							
								Rohtak	2	1	..
								Ambala	5	4	..
								Ferozepur	1
								Gurdaspur	1	..
								TOTAL	8	6	..

Explanation of symbols used:— C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th June, 1958—concl'd.

CHOLERA		SMALLPOX		PLAGUE		Pollomyelitis	
C.	D.	C.	D.	C.	D.	(Information based on patients treated in hospital of important towns)	
Rajasthan						Place	Deaths
w/e 14-6-58						Madras	28-2-1958 5 (Paretic) ..
						Do	Do. 8 (Non-paretic) ..
						Do	15-3-1958 3 (Paretic) ..
						Do	Do. 10 (Non-Paretic) ..
Jaipur	4	Do	31-3-1958 9 (Paretic) ..
S. Madhopur	20	6	Do	Do. 13 (Non-paretic) ..
Bharatpur	1	REMARKS <i>Cholera</i> :—Heavy incidence of the disease was reported from the districts of Ganjam and Kalahandi in Orissa State and Chital Durg in Mysore State during the week under review. <i>Small-Pox</i> .—Heavy incidence of the disease was reported from the districts of Sambalpur, Ganjam, Koraput in Orissa State, Mysore in Mysore State and the City of Madras. Epidemic conditions prevailed in the district of Kalahandi of Orissa State during the week under report.	
Tonk	2		
Bikaner	3		
Ganganagar	16	1		
otah	10	2		
Churu	5	6		
TOTAL	61	17		

Explanation of symbols used:— C=Cases; D=Deaths ; ..=Nil.

NEW DELHI-2 (INDIA); }
The 21st July, 1958. }

H. R. SHARMA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th June, 1958

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Andhra Pradesh		"N.R."											
Assam		"N.R."											
Bihar													
Arrah . . .	74	4	9	6.3	..
Bettiah†													
Bhagalpur . .	133	23	9.0	8	16	6.3	..
Bihar . . .	70	17	12.6	..	1	..	1	9	6.7	..
Chapra . . .	72	35	25.3	2	17	12.3	..
Darbhanga†													
Dhanbad . . .	48	12	13.0	2	7	7.6	..
Dinapur . . .	45	2	2.3	..	1	2	4	4.6	..
Gaya†													
Hazaribagh . .	42	13	16.1	5	6.2	..
Jamalpur . . .	48	7	7.6	1	1.1	..
Jamshedpur . .	266	120	23.5	..	1	2	..	10	1.9	1
Katihar . . .	60
Monghyr†													
Muzaffarpur . .	92	23	13.0	10	2	1	..	30	17.0	..
Patna . . .	371	60	8.4	13	..	3	..	54	7.6	..
Ranchi . . .	157	11	3.6	..	4	..	15	2	33	10.9	2
TOTAL . . .	1,478	323	11.4	..	7	..	55	4	6	2	195	6.9	3
Delhi		"N. R."											
Kerala													
Trivandrum . . .	247	242	51.0	7	1	31	6.5	6
Changanacherry . .	44	20	23.6	5	5.9	..
Kottayam . . .	55	16	15.1	3	1	12	11.4	..
Eranakulam . . .	77	28	18.9	2	15	10.1	..
Mattancherry . . .	94	21	11.6	24	13.3	5
Quilon . . .	82	5	3.2	11	17	10.8	1
Trichur . . .	80	35	22.8	3	2.0	..
Alleppey . . .	195	64	17.1	3	1	11	2.9	1
Kozhikode . . .	187	157	43.7	12	7	8	4	81	22.5	14
Palghat . . .	82	79	50.1	3	4	24	15.2	4
Cannanore . . .	49	28	29.7	4	20	21.2	3
Tellicherry . . .	43	48	58.1	1	1	1	1	11	13.3	..
Cochin . . .	33	25	39.4	1	..	2	..	16	25.2	2
TOTAL . . .	1,268	768	31.5	36	26	11	5	270	11.1	36
Madhya Pradesh		"N. R."											

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:— B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information; "N. R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th June, 1958—*contd.*

Town	Mid-Year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
Madras																
Ambur	48	32	34.7	3	2	..	9	9.8	2			
Arrupukottai	62	25	21.0	3	1	1	..	15	12.6	2			
Bodinayakumuri	43	28	33.9	6	7.3	4			
Chidambaram	43	32	38.7	2	4	4.8	..			
Coimbatore	267	306	59.6	2	8	9	1	82	16.0	23			
Cuddalore	76	128	87.6	1	3	3	1	22	15.1	3			
Dindigul	100	28	14.6	1	5	1	..	19	9.9	6			
Erode	77	66	44.6	2	7	..	20	13.5	5			
Gobichettipalayam	48	13	14.1	1	1	..	4	4.3	1			
Gudiyattam	58	31	27.8	8	1	..	19	17.0	7			
Kancheepuram	93	79	44.2	..	2	..	2	3	11	..	32	17.9	5			
Karaikudi	47	21	23.2	4	1	11	12.2	..			
Karur	57	38	34.7	1	..	1	..	9	8.2	2			
Kumtakonam	115	75	33.9	4	8	3	..	30	13.6	7			
Madras City	2,011	1,246	32.2	..	16	..	67	89	164	3	573	14.8	191			
Madurai†																
Mayuram	53	41	40.2	3	8	7.8	1			
Mattapalayam	43	24	29.0	2	1	2	..	7	8.5	1			
Nagapattinam	62	55	46.1	4	..	2	1	13	10.9	3			
Nagercoil	109	26	12.4	2	1	6	..	11	5.2	1			
Ootacamund	53	50	49.1	1	9	..	15	14.7	2			
Palni	44	36	42.5	4	8	..	19	22.5	3			
Palayamkottai	48	67	72.6	1	2	1	..	11	11.9	1			
Periyakulam	35	21	31.2	3	1	..	11	16.3	5			
Pollachi	60	52	45.1	2	3	2	..	13	11.3	3			
Pudukottai	54	45	43.3	1	..	2	..	16	15.4	2			
Rajapalayam	74	74	52.0	2	..	2	..	9	6.3	2			
Salem	279	169	31.5	4	4	13	1	64	11.9	8			
Srlangam	46	26	29.4	1	3	..	10	11.3	4			
Srivikippattur	45	21	24.3	2	..	2	..	13	15.0	2			
Tanjore	133	126	49.3	5	3	3	..	30	11.7	3			
Tiruchirappalli	276	197	37.1	..	1	..	5	5	8	1	70	13.2	10			
Tirunalveli†																
Tiruppur	73	81	50.7	1	3	1	1	13	9.3	4			
Tiruvannamalai	47	51	56.4	1	2	2	..	13	14.4	7			
Tuticorin	121	69	20.7	1	3	13	1	31	13.3	8			
Vaniyambadi	45	25	28.9	1	1	..	3	3.5	..			
Vellore	141	127	46.8	..	1	..	3	6	9	1	53	19.5	14			
Villapuram	42	34	42.1	1	2	3	..	16	19.8	4			
Virudhunagar	57	43	39.2	1	2	11	10.0	2			
TOTAL	5,085	3,608	36.9	..	20	..	125	179	295	11	1,302	13.3	341			
Mysore																
Bangalore	1,246	592	24.7	..	6	..	1	43	44	2	171	7.1	..			
Mysore	347	188	28.2	8	5	39	5.8	..			
Kolar Gold Fields	180	155	44.8	5	6	4	..	33	9.5	..			
Bellary	83	26	16.3	1	2	1	2	13	8.1	1			
Davangere	85	82	50.2	3	2	19	11.6	1			
Shimoga	68	24	18.4	6	1	..	1	8	6.1	..			
Bhadravati†																
Hospet†																
Tumkur	51	21	21.4	14	2	..	2	19	19.4	..			
Kolar†																
Chitaldrug	37	13	18.3	5	7.0	..			
Hassan†																

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil information. "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th June, 1958.—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from —											Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
Mysore—contd.																
Bidar†																
Gulberga	101	7	3·6	2	1	..	4	2·1	..			
Raichur†																
Belgaum	110	19	9·0	1	15	7·1	1			
Bijapur	82	37	23·5	2	12	7·6	2			
Dharwar	85	28	17·1	2	6	3·7	..			
Mangalore†																
Bagalkot	39	38	50·7	1	..	2	..	7	9·3	..			
Hubli†																
Gadag (Betigere)	73	47	33·5	..	1	..	9	1	3	1	26	18·5	1			
TOTAL	2,587	1,277	25·7	..	7	..	53	64	55	8	377	7·6	6			
Orissa																
Behrampur	81	36	23·1	3	4	2	..	14	9·0	3			
Cuttak	129	61	24·6	..	6	..	9	9	12	..	60	24·2	19			
Puri	56	23	21·3	11	2	2	..	31	28·8	9			
TOTAL	266	120	23·5	..	6	..	23	15	16	..	105	20·5	31			
Pondicherry	68	97	74·2	4	2	6	3	28	21·4	14			
Punjab																
Ambala	62	46	38·6	13	..	1	..	18	15·1	2			
Amritsar	359	194	28·1	6	14	38	..	135	19·6	20			
Batala	66	26	20·5	4	2	1	..	9	7·1	3			
Bhiwani	59	38	33·5	12	..	4	..	20	17·6	7			
Perozepur	47	33	36·5	3	..	6	6·6	1			
Hissar	41	42	53·3	4	..	1	..	7	8·9	4			
Hoshiarpur	54	20	19·3	5	..	1	..	10	9·6	2			
Jullundur	230	137	31·0	17	3	5	..	36	8·1	5			
Karnal	83	41	25·7	4	..	1	..	5	3·1	2			
Ludhiana	194	123	33·0	7	..	8	..	41	11·0	8			
Moga	45	33	38·1	3	5	5·8	1			
Panipat	72	43	31·1	6	..	2	..	12	8·7	2			
Pathankot	36	20	28·9	3	..	4	5·8	..			
Rewari	40	15	19·5	6	..	2	..	10	13·0	3			
Rohtak†																
Simla	53	23	22·6	1	..	3	2·9	..			
Sonepat†																
Bhatinda	45	30	34·7	4	..	3	..	9	10·4	3			
Malerkotla	35	25	37·1	1	..	1	1·5	..			
Patiala	125	72	30·0	..	2	..	12	..	3	1	42	17·5	13			
TOTAL	1,646	961	30·4	..	2	..	103	19	78	1	373	11·8	76			
Rajasthan																
Almer	244	64	13·6	9	2	7	..	27	5·8	6			
Alwar	61	2	1·7	4	..	3	..	23	19·6	..			
Beawar†																
Bharatpur	39	3	4·0	3	3	4·0	..			
Bikaner	117	22	9·8	3	3	6	..	22	9·8	3			
Churu	52	4	4·0			
Ganganagar†																
Jaipur	419	98	12·2	49	2	6	3	93	11·5	33			
Jodhpur†																
Kotah	83	9	5·6	..	2	..	7	..	1	..	12	7·5	6			
Sikar†																
Tonk†																
Udaipur†																
TOTAL	1,015	202	10·3	..	2	..	75	7	23	3	180	9·2	48			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th June, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh													
Agra	404	325	41.8	..	2	..	5	2	72	..	113	14.5	33
Allahabad	372	140	19.6	1	20	1	65	9.1	11
Amroha	61	44	37.6	12	1	3	..	28	23.9	4
Bahraich	49	17	18.1	3	1	1	..	10	10.6	4
Banaras	416	213	26.7	131	6	20	..	391	48.9	65
Banda†													
Bareilly	206	62	15.7	24	2	7	..	52	13.2	12
Basti†													
Ballia†													
Bijnor†													
Budaun	55	30	28.4	14	20	19.0	8
Bulandshahr	45	1	1.1
Chandauli	44	34	40.2	14	1	3	..	27	31.9	11
Dehra Dun	186	83	23.3	2	2	4	..	23	6.4	3
Etawah	65	60	48.1	21	..	7	..	46	39.8	15
Faizabad Ayodhya†													
Farukhabad-Patehgarh	78	28	18.7	19	..	10	..	34	22.7	6
Pirozabad	93	13	7.3	5	1	11	6.2	2
Ghaziपुर	35	12	13.9	6	2	1	..	9	13.4	2
Ghazlebad	68	22	16.9	8	13	10.0	5
Gonda	35	10	14.9	4	1	9	13.4	..
Gorakhpur	150	60	20.8	5	1	..	19	10	8	..	58	20.2	10
Hapur	65	24	19.2	10	1	1	..	14	11.2	6
Hardwar	73	30	21.4	26	..	1	..	49	34.9	9
Hathras	65	40	32.1	39	..	2	..	62	49.6	25
Jaunpur	59	25	22.1	..	9	..	9	..	8	..	40	35.3	2
Jhansi	132	100	39.5	33	..	2	..	48	19.0	12
Kanpur	810	314	20.2	..	4	..	94	22	43	4	273	17.6	74
Kasganj	34	4	6.1	3	4	6.1	1
Khurja†													
Koili Aligarh	167	30	9.4	43	..	7	1	65	20.3	21
Lucknow	525	418	41.5	..	9	..	71	11	44	2	294	29.2	57
Mathura	118	70	30.9	11	..	4	..	23	10.2	3
Mau Nath Bhanjan	39	15	20.0	2	..	1	..	9	12.0	1
Meerut	198	139	36.6	11	1	7	..	39	10.3	10
Mirzapur Vindhyschal.	100	40	20.8	10	1	2	..	23	12.0	5
Moradabad	165	102	32.2	16	3	23	1	63	19.9	8
Muzaffarnagar	81	33	21.2	11	1	3	..	27	17.4	4
Pilibhit†													
Rampur†													
Saharanpur	178	109	31.9	66	1	1	..	81	23.7	15
Sambhal†													
Sitapur†													
Shahjahanpur	112	57	26.5	32	1	1	..	42	19.6	15
TOTAL	5,283	2,704	26.6	5	25	..	774	72	306	9	2,065	20.3	459

West Bengal

"N.R."

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th June, 1958—*contd.*

Town	Mid.-year Popn.-Est. (000).	Deaths from —											Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
ARREAR INFORMATION																
Madhya Pradesh		w/e 10-5-58														
Bilaspur†																
Burhampur	85	43	26.3	—	8	..	14	41	25.1	..			
Damoh	47	22	24.3	..	40	..	10	46	50.9	..			
Jabalpur	267	50	9.7	..	2	..	9	1	24	..	45	8.8	9			
Khandra	64	15	12.2	..	6	..	4	14	11.4	..			
Raipur†																
Murmarat																
Sagar †																
Chhindwara†																
Raigarh†																
Itarsi	37	12	16.9	..	2	..	4	6	8.4	1			
Greater Gwalior	297	125	21.9	5	1	1	1	19	3.3	..			
Indore†																
Ratlam†																
Ujjain	183	55	15.6	..	1	..	10	35	9.9	13			
Bhopal†																
Mandsaur	48	5	5.4			
TOTAL	1,028	327	16.5	..	59	..	56	2	25	1	206	10.4	23			
Kerala		w/e 31-5-58														
Trivandrum	247	82	17.3	2	5	2	..	39	8.2	..			
Quilon	82	187	118.6	6	24	15.2	..			
Alleppey	195	37	9.9	1	14	3.7	2			
Changanacherry	44	28	33.1	16	18.9	..			
Kottayam†																
Mattancherry	94	21	11.6	1	19	10.5	4			
Trichur	80	42	27.3	4	2	21	13.7	1			
Ernakulam	77	64	43.2	15	10.1	1			
Cochin	33	30	47.3	3	17	26.8	..			
Kozhikode	187	178	49.5	11	7	7	1	87	24.2	17			
Palaghat	82	70	44.4	3	..	1	28	17.8	3			
Cannanore	49	36	38.2	2	7	7.4	1			
Tellicherry	43	36	43.5	5	1	17	20.6	1			
TOTAL	1,213	811	34.8	28	25	9	2	304	13.0	30			
Pandicherry		w/e 7-6-58														
Pandicherry	68	89	68.1	3	6	4	2	22	16.8	12			
		w/e 14-6-1958														
do	68	62	47.4	5	6	2	1	28	21.4	16			
Punjab		(Supplementary Figures)														
		w/e 21-6-58														
Rohtak	96	66	35.8	14	1	1	..	23	12.5	6			
Sonepat	36	22	31.8	11	13	18.8	5			

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd June, 1958—*contd.*

Town	Mid.-year Popn. Est. (000)	Deaths from :--											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Andhra Pradesh		w/c 24-5-58													
Adoni†															
Anantapur . . .	42	18	22.3	..	1	..	1	..	5	..	13	16.1	4		
Anakapalli†															
Bhimavaram . . .	41	21	26.5	2	1	5	6.2	..		
Chirala†															
Chittoor†															
Cuddapah . . .	46	33	27.3	5	1	16	18.1	2		
Ellore . . .	108	34	16.4	9	..	1	..	29	13.9	..		
Gudivada . . .	40	21	27.3	..	1	..	2	1	8	10.4	2		
Guntur . . .	168	121	37.5	..	2	..	5	5	8	..	59	18.3	1		
Guntakal . . .	43	20	24.2	3	1	1	..	8	9.7			
Kakinada†															
Kurnool . . .	74	54	35.1	3	..	2	..	24	15.6	2		
Masulipatam . .	95	49	26.8	2	..	1	..	20	10.9	6		
Nandyal . . .	40	24	31.2	1	..	9	11.7	3		
Nellore . . .	107	104	50.5	8	3	3	..	52	25.3	18		
Proddutur . . .	46	27	30.5	..	1	..	1	1	10	11.3	1		
Rajahmundry . .	137	36	13.7	5	..	2	..	23	8.7	5		
Tenali . . .	76	34	23.3	2	5	..	16	10.9	6		
Vijayawada . . .	253	88	18.1	11	1	4	..	50	10.3	8		
Visakhapatnam .	148	65	22.8	..	2	..	6	3	13	..	42	14.7	7		
Vizianagaram . .	81	31	19.9	..	1	..	1	2	5	..	18	11.6	4		
Hyderabad . . .	1,291	241	9.6	22	5	1	..	123	4.9	..		
Warrangal . . .	173	36	10.8	7	..	5	..	19	5.7	..		
Nizamabad . . .	81	14	9.0	4	2	3	1	..	10	6.4	..		
Kothagudlam†															
Secunderabad . .	192	151	41.0	..	1	..	5	6	4	..	42	11.4	8		
TOTAL . . .	3282	1,222	19.4	6	9	..	95	32	62	1	596	9.4	87		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :— B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 28th June, 1958, relate to 141 towns from the States of Bihar, Kerala, Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population coverage of 18,696 thousands out of the total population of 46,461 in 320 towns of the country. The number of births and deaths recorded in these towns were 10,060 and 4,895 registering birth

and death rates of 28.0 and 13.6 per thousand of population respectively.

The towns of Banaras, Chandausi, Etawah, Haridwar, Hathras and Jaunpur in the state of Uttar Pradesh have recorded high death rates of 48.9, 31.9, 39.8, 34.9, 49.6 and 35.3 per thousand of population respectively. The following table gives the registered rates for the different States :—

States	Current w/e 28-6-1958		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Bihar	11.4	6.9	12.9	8.5
Kerala	31.5	11.1	42.1	24.4
Madras	36.9	13.3	46.5	27.4
Mysore	25.7	7.6	23.4	10.6
Orissa	23.5	20.5	†	†
Pondicherry	74.2	21.4	63.6	24.9
Punjab	30.4	11.8	24.7	11.2
Rajasthan	10.3	9.2	18.4	9.6
Uttar Pradesh	26.6	20.3	25.0	14.8
India	28.0	13.6	30.9	17.4

NOTE.—† Figures not available.

NEW DELHI-2 (INDIA);

The 21st July, 1958.

H. R. SHARMA,
for Registrar General, India.

